+18479057113

T-063 P.01

F-500

RECEIVED CENTRAL FAX CENTER

APR 0 6 2004

OFFICIAL

OFFICIAL

CARDINAL LAW GROUP

तर १८५८ । १९८८ **। १९**८८ । १८५४ अनुसारी क्षेत्रका स्थाप स्थाप

1603 Orrington Avenue/Suite 2000 Evanston, Illinois 60201 Telephone 847 – 905 - 7111 Facsimile 847 – 905 – 7113

CONFIDENTIAL ATTORNEY-CLIENT PRIVILEGED COMMUNICATION

Date:

APRIL 6, 2004

To:

EXAMINER WAMSLEY

U.S. PATENT AND TRADEMARK OFFICE

Fax #:

(703) 872-9319

From:

LESLIE B. WILSON

Fax #:

(847) 905-7111, X2278

Client/Matter No.:

IT 010006 (7790/226)

of Pages:

53

(including cover sheet)

IF YOU HAVE ANY PROBLEMS RECEIVING THIS MESSAGE, PLEASE CALL 847/905-7111, Ext. 2280, AND ASK FOR LENNIFER CRUZ

THIS MESSAGE IS INTENDED ONLY FOR THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. IT MAY CONTAIN PRIVILEGED, CONFIDENTIAL, ATTORNEY WORK PRODUCT, OR TRADE SECRET INFORMATION WHICH IS EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAWS. IF YOU ARE NOT THE INTENDED RECIPIENT, OR AN EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS MESSAGE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS MESSAGE IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE (AND ALL COPIES) TO US BY MAIL AT THE ABOVE ADDRESS. WE WILL REIMBURSE YOU FOR POSTAGE

							UNIS OF THE PERSON AND	. 01							
TOANGMITTAL							Attorney Docket No.			IT 010006 (7790/225)					
TRANSMITTAL							Application Number			10/070,867					
FORM							Filing Date			MARCH 12, 2002					
						First Named Inventor			MARIA G MARTINI						
	tio be used for all	conasponaci		Group Art Unit			2819								
				Examiner			WAMSLEY, PATRICK G								
	ENCLOSURES (check all that apply)														
											Soam of				
	Amendment	Amendment				Assignment Papers (for an Application)			Appeals and interferences						
	After Final						wings.		Appeal Brief						
	Affigav	Affigavits/declaration(s)				After Allowance Communication to Group									
						Petition Routing Slip (PTO/SB/69) and Accompanying Petition				Proprietary Information					
	Status Letter					To Convert a Provisional Application					Post Cara Receipt				
⋈		One-Month Petition for Extension of Time Request (duplic)				Power of Attorney, Revocation Change of Correspondence Address					Additional Enclosure(5) (please identity below).				
	Express Abano		Ten	тіла) Disclaiinei											
	information Dis PTO-1449, an		Small Entity Statement												
	Certified Copy (Req	Juest of Return											
	Response to Missing Parisi Incomplete Application				Ø	The Commissioner is nereby authorized to charge any less which may be required, or credit any overpayment, to Daposit Account No. 50-1713. A duplicate copy of this sheet is enclosed									
					×	I trendby position under 37 CFR § 1.136(a) for any extension of time required to ensure that this paper is timely field. Please charge any associated tees which have not otherwise been paid to Deposit Account No. 20-1713. A duplicate copy of this sheet is enclosed.									
<u> </u>		 			L	Acco				s sneet .s e	nciose	ia ;	· · · · · · · · · · · · · · · · · · ·		
							CALCULATION OF F	·E		Entity			Large (inuty	
	Claims After		1 ;		Highest No Previously Paid For		Pieseni Extra	Rate		A001 Fee			Rate	Add'i Fee	
Total		Miðu	Minus				٥	. \$9=			0		\$18		
Indep			Mi/lus				٥		. \$ 4:		O		, \$ 86		
First Pre	semision of Multip	le Dep Claur	Dep Claim					ł	+ <u>514</u>	5			- \$290-		
	SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT														
<u> </u>		1	•		IATUR	OF.	APPLICANT, ATT	<u>0</u>	KNEY, OK A	PENI					
Firm Or Or Registration No. 33,816 CARDINAL LAW GROUP 1603 Orrington Avenue, Suite 2000 Evanston, IL. 60201															
Signature										Date April 6 2004					
\vdash	CERTIFICATE OF FACSIMILE														
Thereby certify that this correspondence is being transmitted via facsimile (703) 872-9319 to the United States Patent and Trademark Office on this date April 6, 2004															
Signature 1 FSLIE B WILSON (33,816) Date. April 6 2004															

April 6 2004

THE PARTY RESIDENCE IN CO. 1920, NO STORMS OF PROPERTY OF A WARRANT OF THE PARTY OF IT 010006 (7790/226) Attorney Docket No TRANSMITTAL 10/070.867 Application Number **FORM** Filing Date MARCH 12, 2002 MARIA G MARTINI First Named Inventor (:0 De used for all Correspondence after initial filing) Group Art Unit WAMSLEY PATRICK G Examiner ENCLOSURES (check all that apply) Appeal Communication to Board of Assignment Papers Amenoment Appeals and interferences (for an Application) Alter Final Drawings Appeal Brief \boxtimes After Allowance Communication to Atticavits/declaration(5) Group Petition Routing Stip (PTO/S8/69) and Proprietary Information Accompanying Petition To Convert & Posi Cara Receipt Status Letter Provisional Application Additional Enclosure(s) Power of Attorney, Revocation Change One-Month Petition for Extension (please identify DEIOw). 龱 of Correspondence Address of Time Request (duplic) Express Abandonment Request Terminal Discisimer Information Disclosure Statement, Small Entity Statement PTO-1449, an Centred Copy of Priority Document(s) Request of Retund The Commissioner is hereby authorized to charge any fees which may be required, or creativity Response to Missing Parts/ \boxtimes overpayment, to Deposit Account No. 20-1713. A duplicate copy of this sheet is enclosed Incomplete Application I nerepy petition under 37 CFR § 1, 136(a) for any extension of time required to ensure that this puper Ø is timely 1400. Picase charge only associated tees which have 1101 diherwise been paid to Deposit Account No. 50-1713. A aupticute copy of this sheet is enciceed CALCULATION OF FEE Large Entity Small Entity migrical NO 0 AGG1 Previously Paid For Present Rate Rate řee Amendment . \$18-× 59= 0 Minus Cotal \$43 a \$88 Minus INCOP. 5250= -\$145 First Presentation of Multiple Dep. Claim total add i fee_ (DIS) 300'(fe<u>e</u> SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT LESUE B WILSON FIGURE Registration No. 33,816 CARDINAL LAW GROUP Individual name 1603 Orrington Avenue, Suite 2000 Evanston IL 60201 April 6 2004 Date Signature

I nelepy certify that this correspondence is being transmitted via tacsimile (703) 872-9319

to the United States Patent and Trademark Office on this date

CERTIFICATE OF FACSIMILE

RECEIVED CENTRAL FAX CENTER APR 0 6 2004

LESI IF R WILSON (33.816)

Name of Appellant, assigned on registered representative

Signature

April 6, 2004

Dute of Signature

OFFICIAL

PATENT Case No.: IT 010006 (7790/226)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re patent a	ipplication of)	
MAR	IA G. MARTINI, ET AL.))	Examiner: WAMSLEY, P.
Serial No.:	10/070,867	ý	
Filed [.]	MARCH 12, 2002)	Group Art Unit: 2819
For: COD	ING A DATA STREAM)	

APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Appellant herewith respectfully presents its Brief on Appeal as follows:

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 2 of 16

1. REAL PARTY IN INTEREST

The real party in interest is Koninklijke Philips Electronics N.V., a corporation of The Netherlands having an office and a place of business at Groenewoudseweg 1, Eindhoven, Netherlands 5621 BA. Koninklijke Philips Electronics N.V. is the ultimate parent of the assignee of record Philips Electronics North America Corporation, a Delaware corporation having an office and a place of business at 1251 Avenue of the Americas, New York, NY 10020-1104. Philips Electronics North America Corporation intends to further assign this application to Koninklijke Philips Electronics N.V.

2. RELATED APPEALS AND INTERFERENCES

Appellant and the undersigned attorney are not aware of any other appeals or interferences which will directly affect or be directly affected by or having a bearing on the Board's decision in the pending appeal.

3. STATUS OF CLAIMS

Claims 1-13 are currently pending in the application and are the claims on appeal.

See, the Appendix. Claims 1-13 stand finally rejected under 35 U.S.C. §112, ¶1 as failing to comply with the enablement requirement. Claims 1-13 also stand finally rejected under 35 U.S.C. §103(a) as being unpatentable over a publication entitled "MPEG-4 Overview - (Dublin Version)" to Koenen in view of U.S. patent No. 3,996,558 to Heun.

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 3 of 16

4. STATUS OF AMENDMENTS

A reply under 37 C.F.R. §1.116 involving arguments directed to an enabling description of claims 1-13 and an allowance of claims 1-13 over *Koenen* in view of *Heun* was filed on 01/06/2004, but was not entered into the present application by Examiner Warnsley.

5. SUMMARY OF THE INVENTION

The present application discloses a method of coding a given part of a data stream. As will be further explained herein, the given part of the data stream includes partitions coded with different error protection rates to obtain a coded data stream, which includes a single length information field concerning the respective lengths of the partitions of the given part of the data stream. The coded data stream can be extended with additional coded parts, wherein each additional coded part includes its own partitions coded with different error protection rates and a single length information field concerning the respective lengths of its coded partitions. Thus, a complete coding of a data stream consisting of N given parts in accordance with the present application will result in a coded data stream consisting of N given parts wherein each part of the coded data stream includes its own partitions coded with different error protection rates and a single length information field concerning the respective lengths of its partitions. As such, the coded data stream will have a total of N single length information fields.

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 4 of 16

Specifically, in FIG. 3 of the present application, a first marker H5 (i.e., a resynch marker) represents a start of a first given part of a data stream S1 having partitions £1, £2 and £3. A channel coding of partitions £1, £2 and £3 with different error protection rates results in a coded data stream WS1 as illustrated. Coded data stream WS1 includes a single length information field If after first marker H5 wherein single length information field If concerns respective lengths of partitions £1, £2 and £3 in coded data stream WS1.

See, U.S. Patent Application Serial No. 10/070,867 on page 5, line 11 to page 6, line 11.

Also in FIG. 3 of the present application, a second marker H5 represents a start of a second given part of data stream S1 having partitions which are not shown.

Nonetheless, these partitions would be channel coded with different error protection rates to further extend coded data stream WS1 with a second given part having its own single length information field (not shown) after second marker H5 wherein the single length information field of the second given part of coded data stream WS1 concerns respective lengths of partitions in the second given part.

In FIG. 6 of the present application, a marker H4 represents a start of a first given part of a data stream S2 having partitions (not shown). Adding a robustness to a marker H1, a marker H2 and first marker H4, and a channel coding of the partitions of the first given part of data stream S2 with different error protection rates results in a coded data stream WS2 as illustrated. Coded data stream WS2 includes a single length information

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 5 of 16

field if after marker H4 wherein single length information field if concerns respective lengths of partitions within the first given part of coded data stream WS2. See, U.S. Patent Application Serial No. 10/070,867 on page 8, line 32 to page 9, line 15.

Also in FIG. 6 of the present application, a first marker H5 represents a start of a second given part of data stream S2 having partitions which are not shown. Nonetheless, robustness is added to marker H5 and the partitions of the second given part are channel coded with different error protection rates to further extend coded data stream WS2 with a second given part having its own single length information field If after first marker H5 wherein the single length information field If concerns respective lengths of partitions in the second given part of coded data stream WS2. This is repeated for the three additional markers H5 illustrated in FIG. 6.

For implementing the above method, the present application describes two embodiments of a transmitter employing a coder 11 wherein a coded data stream WS1 and WS2 are stored in a storage medium 15 as illustrated in FIGS. 4 and 7, respectively. See, U.S Patent Application Serial No. 10/070,867 on page 6, lines 12-22; and page 9, lines 17-23. The present application also describes two embodiments of a receiver employing a decoder 31 wherein a coded data streams WS1 and WS2, respectively, are decoded to obtain data streams S1 and S2 as illustrated in FIGS. 5 and 8, respectively. See, U.S. Patent Application Serial No. 10/070,867 on page 6, lines 23 to page 7, line 2; and page 9, lines 24-34.

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 6 of 16

6. ISSUE

Whether claims 1-13 are enabled and allowable over Koenen in view of Heun.

GROUPING OF CLAIMS

Claims 1-13 should be considered as one claim group.

8. ARGUMENTS

Enablement. The enablement requirement of 35 U.S.C. §112, ¶1 requires that the specification of U.S. Patent Application Serial No. 10/070,867 describes how to make and how to use the invention as defined by claims 1-13. The Appellant respectfully traverses the enablement rejection of claims 1-13, because the present application unequivocally enables claims 1-13. Specifically, FIGS. 3 and 6 of the present application clearly discloses how to channel code the partitions of each given part of a data stream S1 and a data stream S2, respectively, to thereby yield coded data stream WS1 and coded data stream WS2, respectively, wherein each give part of the coded data streams WS1 and coded data stream WS2 includes its own single length information field. Unfortunately, Examiner Wamsley has continually and erroneously interpreted claims 1-13 to mean that a single information field is intended to encompass all of the partitions of the coded data stream instead of properly interpreting claims 1-13 to encompass partitions grouped within different parts of the data stream wherein each given part includes its own single length information field concerning the lengths its partitions.

Case No.: 1T 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 7 of 16

Withdrawal of the rejection of claims 1-13 under 35 U.S.C. §112, ¶1 is therefore respectfully requested.

Obviousness. To establish a *prima facie* case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. See, MPEP §2143. The Appellant asserts that the combination of *Koenen* and *Heun* fails to teach or suggest the following limitations of independent claims 1, 6, and 8-13:

1. "including (14, 20) a single length information field (1f) concerning respective lengths of the respective partitions in the coded data stream (WS1, WS2)" as recited in independent claim 1;

APR-06-04 03:14PM

April 6, 2004

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 8 of 16

- "the coded data stream further includes a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream", "reading (40) the length information field (If)", and "channel decoding (31) the coded data stream (WS1, WS2) using the length information field (If) to obtain a decoded data stream (S1, S2)" as recited in independent claim 6;
- 3. "means (14, 20) for including a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream (WS1, WS2)" as recited in independent claims 8 and 10;
- 4. "The coded data stream further including a single length information field (1f) concerning respective lengths of the respective partitions in the coded data stream", "means (40) for reading the length information field", and "means (31) for channel decoding the coded data stream (WS1, WS2) using the length information field (1f) to obtain a decoded data stream (S1, S2)" as recited in independent claims 9 and 11; and

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 9 of 16

"the coded data stream further comprising a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream" as recited in independent claims 12 and 13.

As to the traversal, Examiner Wamsley has correctly recognized the failure of Koenen to teach or suggest the aforementioned limitations of independent claims 1, 6, and 8-13. Furthermore, as illustrated in FIG. 1, Heun discloses an error detection and recovery scheme that includes a partition head 25 for each partition body 31 of a data stream stored on a magnetic tape, and not a partition head 25 for a group of partition bodies 31. Moreover, Heun teaches away from a single partition head 25 for a group of partitions bodies 31 by teaching an essential requirement of separating, not grouping, each partition body 31 by a partition gap 21. See, Heun at column 2, lines 19-38.

Withdrawal of the rejection of independent claims 1, 6 and 8-13 under 35 U.S.C. §103(a) as being unpatentable over *Koenen* in view of *Heun* is therefore respectfully requested.

Claims 2-5 depend from independent claim 1. Therefore, dependent claims 2-5 include all of the elements and limitations of independent claim 1. It is therefore respectfully submitted by the Appellant that dependent claims 2-5 are allowable over Koenen in view of Heun is therefore for at least the same reason as set forth with respect

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 10 of 16

to independent claim 1 being allowable over *Koenen* in view of *Heun*. Withdrawal of the rejection of dependent claims 2-5 under 35 U.S.C. §103(a) as being unpatentable over *Koenen* in view of *Heun* is therefore requested.

Claim 7 depends from independent claim 6. Therefore, dependent claim 7 includes all of the elements and limitations of independent claim 7. It is therefore respectfully submitted by the Appellant that dependent claim 7 is allowable over *Koenen* in view of *Heun* is therefore for at least the same reason as set forth with respect to independent claim 6 being allowable over *Koenen* in view of *Heun*. Withdrawal of the rejection of dependent claim 7 under 35 U.S.C. §103(a) as being unpatentable over *Koenen* in view of *Heun* is therefore requested.

Dated: April 6, 2004

Respectfully submitted, MARIA G. MARTINI, et al.

PHILIPS IP & STANDARDS P.O. Box 3001 Briarcliff Manor, NY 10510-8001 (914) 333-9606 Jack D. Slobod Registration No. 26,236 Attorney for Appellants

CARDINAL LAW GROUP Suite 2000 1603 Orrington Avenue Evanston, Illinois 60201 Phone: (847) 905-7111

Fax: (847) 905-7113

Leslie B. Wilson Registration No. 33,983

Attorney for Appellants

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002 Page 11 of 16

<u>APPENDIX</u>

- A method of coding a data stream (S1,S2), the method comprising:
 channel coding (11) respective partitions of a given part of the data stream with
 different error protection rates to obtain a coded data stream (WS1, WS2); and
 including (14, 20) a single length information field (lf) concerning respective
 lengths of the respective partitions in the coded data stream (WS1, WS2).
- 2. The method as claimed in claim 1, wherein the length information field (lf) includes the lengths of the partitions before channel coding.
- 3. The method as claimed in claim 1, wherein the length information field (lf) includes the lengths of the partitions after channel coding.
- 4. The method as claimed in claim 1, wherein the length information field (lf) is included after a marker (H5) of the given part of the data stream (S1, S2).

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 12 of 16

The method as claimed in claim 1, wherein the data stream (S1, S2) includes at least one marker (H1... H5) out of a predetermined set of at least two mutually different markers (H1... H5), the marker indicating a start of a given part of the data stream, the method further comprising:

representing (13) the at least one marker (H1... H5) with a higher robustness word (WH1... WH5) having a higher robustness to channel errors than the at least one marker; and

outputting (14) the data stream with the at least one marker represented with the higher-robustness word (WH1. WH5).

6. A method of decoding a coded data stream (WS1, WS2), in which coded data stream respective partitions of a given part of the coded data stream have been channel encoded with different error protection rates, the coded data stream further includes a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream, the method comprising:

reading (40) the length information field (lf); and channel decoding (31) the coded data stream (WS1, WS2) using the length information field (lf) to obtain a decoded data stream (S1, S2).

Case No.: 1T 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 13 of 16

- 7. The method as claimed in claim 6, further comprising:

 deleting (40, 31, 34) the length information field (lf) from the coded data stream.
- 8 An encoder for coding a data stream (S1, S2), the encoder comprising:

 a channel encoder (11) for channel coding respective partitions of a given part of
 the data stream with different error protection rates to obtain a coded data stream (WS1,
 WS2); and

means (14, 20) for including a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream (WS1, WS2).

A decoder for decoding a coded data stream (WS1, WS2), in which coded data stream respective partitions of a given part of the coded data stream have been channel encoded with different error protection rates, the coded data stream further including a single length information field (If) concerning respective lengths of the respective partitions in the coded data stream, the decoder comprising:

means (40) for reading the length information field; and

means (31) for channel decoding the coded data stream (WS1, WS2) using the length information field (1f) to obtain a decoded data stream (S1, S2).

Case No.: 1T 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 14 of 16

10. A transmitter for transmitting a coded data stream (WS1, WS2), the transmitter comprising:

an encoder for coding a data stream (S1, S2), the encoder including

a channel encoder (11) for channel coding respective partitions of a given part of the data stream with different error protection rates to obtain a coded data stream (WS1, WS2), and

means (14, 20) for including a single length information field (lf) concerning respective lengths of the respective partitions in the coded data stream (WS1, WS2); and

means (14) for transmitting the coded data stream (WS1, WS2).

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 15 of 16

11. A receiver for receiving a coded data stream (WS1, WS2), the receiver comprising:

means (30) for receiving the coded data stream; and

a decoder for decoding a coded data stream (WS1, WS2), in which coded data stream respective partitions of a given part of the coded data stream have been channel encoded with different error protection rates, the coded data stream further including a single length field information (lf) concerning respective lengths of the respective partitions in the coded data stream, the decoder including

means (40) for reading the length information field, and
means (31) for channel decoding the coded data stream (WS1, WS2) using
the length information field (lf) to obtain a decoded data stream (S1, S2).

12. A coded data stream (WS1, WS2) in which respective partitions of a given part of the coded data stream have been channel encoded with different error protection rates, the coded data stream further comprising a single length information field (lf) concerning respective lengths of the respective partitions in the coded data stream.

Case No.: IT 010006 (7790/226)

Serial No.: 10/070,867 Filed: March 12, 2002

Page 16 of 16

13. A storage medium (15) on which a coded data stream (WS1, WS2) has been stored, the coded data stream having respective partitions of a given part of the coded data stream have been channel encoded with different error protection rates, the coded data stream further comprising a single length information field (1f) concerning respective lengths of the respective partitions in the coded data stream.